

Index

Symbols

α -amylase, 155
 β -amylase, 155
 β -glucan, 155

Numbers

2,3-Pentanedione, 68, 240

A

Aeration, 227
Aerobic wastewater treatment, 353
Acetaldehydes, 68
Acetic acid bacteria, 337
Acetobacter spp., 337
Acid-based detergents, 123
Acid-based sanitizers, 131
Acid malt, 158
Acid rest, 153
Acidification of mash, 158
Acidification of water
 boiling, 100
 calcium hydroxide, 101
 carbon dioxide, 101
 food grade acids, 101
Acrospire, 24
Activated sludge process, 353
Adjunct cooker, 171
Adjuncts
 classification of adjuncts

 flakes, 112
 grits, 112
 flours, 111
 refined starches, 112
 torrified cereals, 112
gelatinization temperatures, 111
employment in brewing
 cooker mash adjuncts, 110
 kettle adjuncts, 111
 mash tun adjuncts, 111
types of cereal adjuncts
 barley, 114
 corn, 113
 oats, 116
 rice, 114
 wheat, 115
 sugars, 116
 syrups, 117
Adolf Coors Company, 6
Aeration of wort, 227
 measuring oxygen levels, 230
 methods of oxygenation, 229
 oxygen requirements, 228
 point of injection, 228
Aerobic wastewater treatment, 353
 activated sludge process, 353
 advantages and disadvantages, 356
 attached growth process, 354
 lagoons, 355
 sludge treatment and disposal, 356
Agar slants, 75

- Alcohol and Tobacco Tax and Trade Bureau (TTB), 411
 - Alcohol Beverage Control Boards, 416
 - Aldehydes, 198, 212, 227
 - Alexis barley variety, 22
 - Alkaline-based detergents, 122
 - Alkaline-based disinfectants, 128
 - Alkalinity in water, 95
 - Alpha acids, 41
 - Alpha-amylase, 155
 - Altbier (German), 388
 - Aluminum
 - cleaning and sanitation, 139
 - Amber ale (American), 362
 - Amber malt, 35
 - American Society of Brewing Chemists, (ASBC), 149
 - Amino acids
 - malting, 23
 - mashing 154
 - yeast byproducts, 71
 - yeast nutritional requirements, 65
 - Anheuser-Busch, Inc., 5
 - Anaerobic wastewater treatment, 356
 - advantages and disadvantages, 358
 - fluidized bed reactor, 357
 - upflow anaerobic sludge blanket, 357
 - Anionic acids, 131
 - Aroma hops, 43
 - ATP bioluminescence method, 342
 - Attached Growth (Biofilm) Process, 354
 - Augers, 144
 - Auxiliary finings, 262
- B**
- Bacteria
 - acetic acid, 337
 - Acetobacter* spp., 337
 - Gluconobacter* spp., 338
 - Enterobacteriaceae, 339
 - Obesumbacterium proteus*, 339
 - Gram-negative, 337
 - Gram-positive, 334
 - Lactobacillus* spp., 334
 - L. brevis*, 336
 - L. delbrueckii*, 336
 - L. pastorianus*, 336
 - Pectinatus* spp., 338
 - Pediococcus* spp., 336
 - P. damnosus*, 337
 - Zymomonas* spp., 338
 - Z. anaerobia*, 338
 - Z. mobilis*, 338
 - Barley adjuncts, 114
 - Barley malts
 - barley types
 - identification, 23
 - six-row barley, 21
 - two-row barley, 22
 - base malts
 - mild ale malt, 32
 - pale ale malt, 32
 - Pilsner malt, 31
 - Munich malt, 33
 - Vienna malt, 32
 - malt analysis
 - alpha-amylase (DU), 29
 - beta-glucan, 30
 - coarse-grind extract, 27
 - cold-water extract, 28
 - color, 26
 - diastatic power, 28
 - dimethyl sulfide, 30
 - fine grind-coarse grind difference, 27
 - fine-grind extract, 27
 - free amino nitrogen, 29
 - friability, 30
 - hot-water extract, 28
 - mealiness, 30
 - moisture content, 26
 - sieving tests, 30
 - total protein, 29
 - total soluble protein, 29
 - viscosity, 31
 - malt constituents, 25
 - malt extracts, 37
 - malting
 - germination, 23
 - kilning, 24
 - steeping, 23
 - malt modification, 24
 - other malted grains
 - rye malt, 37
 - wheat malt, 36

- specialty malts
 - caramel (crystal) malts, 34
 - dry-roasted malts, 35
 - light-colored malts, 33
 - unmalted barley, 36
- Barley steeping, 23
- Barley wine (British), 376
- Base malts, 31
- Beer carbonation, 295
- Beer clarification, 260
- Beer filtration, 275
- Beer foam
 - carbonation, 314
 - fatty acids, 71
 - hops, 46
 - proteolytic enzymes, 264
 - total soluble nitrogen, 29
- Beer industry
 - advertising, 15
 - beer sales, 7
 - beer segments, 12
 - classification of brewers, 4
 - demographics, 18
 - distribution, 15
 - history, 1
 - industry concentration, 2
 - off- on-premise sales, 8
 - per capita consumption, 11
 - top beer brands, 8
- Beer stabilization, 263
- Beer styles, 361
 - American, 362
 - Belgium, 368
 - British, 376
 - Czech Republic, 386
 - French, 387
 - German, 388
 - Irish, 401
 - Scottish, 402
- Beerstone
 - removing, 127
- Belgian beer styles, 368
- Bentonite, 266
- Berliner Weisse (German), 398
- Beta acids, 42
- Beta-amylase, 155
- Beta-glucans
 - cold break, 222
 - malt analysis, 30
 - malt constituents, 25
 - mashing 156
 - unmalted barley, 36
 - viscosity, 31
- Bière de garde (French), 387
- Biofiltration towers, 355
- Biological acidification of mash, 158
- Biscuit malt, 35
- Bitter beer (British), 376
- Bittering hops, 43
- Bitterness units, 54
- Black barley, 36
- Black beer, 396
- Black malt, 35
- Blood alcohol content, 11
- Bock beer (German), 389
- BOD, 346
- Boiling systems, 206
- Boiling the wort, 195
- Bottle-conditioned beers, 259
- Bottling
 - bottle feeding
 - bulk-pack, 306
 - pre-pack, 305
 - bottle filling
 - bottle drying, 315
 - counter-pressure, 312
 - crowning, 314
 - evacuation, 312
 - filler bowl operations, 308
 - filling valve technology, 311
 - post filler operations, 313
 - post rinse, 314
 - types of bottling machines, 309
 - bottle labeling, 316
 - types of labelers,
 - bottle rinsing, 307
 - cleaning treatment, 307
 - types of bottle rinsers, 307
 - case packing, 318
 - case sealing, 319
 - types of case packers, 318
 - warehousing, 319
 - sterilization of beer
 - flash pasteurization, 304
 - filtration, 304
 - tunnel pasteurization, 315

- Bottom-fermenting yeast
 - lager yeast, 61
 - open square fermenters, 248
 - Brettanomyces* spp., 341
 - Brewer's window, 156
 - Brewhouse yield, 37
 - Brewing industry, 1
 - Brewing water ions, 96
 - Brewpubs, 6
 - Bright beer tanks, 268
 - temperature control, 269
 - coolants, 269
 - cooling jackets, 270
 - vessel size, 269
 - British beer styles, 376
 - Brown ale (British), 378
 - Brown malt, 35
 - Bureau of Alcohol, Tobacco, Firearms and Explosives (ATF), 411
 - Burton-on-Trent waters, 94
- C**
- Calandria, 207
 - Calcium in water, 96
 - Calcium chloride
 - wort boiling, 205
 - Calcium hydroxide treatment of water, 101
 - Calcium sulfate
 - acidification of mash, 158
 - kettle additives, 205
 - reduction in wort pH, 199
 - water treatment, 102
 - Calculations
 - assessing the wort, 191
 - brewhouse yield, 37
 - hop additions, 216
 - raw material requirements, 174
 - strike temperature, 176
 - wort fermentability, 250
 - California Common (American), 366
 - Candida* spp., 341
 - Candi sugar, 117
 - Candle filter, 279
 - Caramel malts, 34
 - Caramelization
 - specialty malts, 33
 - wort boiling, 196, 197
 - Carbohydrates
 - yeast nutritional requirements, 64
 - Carbon dioxide
 - in water treatment, 101
 - levels in beer, 296
 - volume table, 429
 - Carbon filtration of water, 103
 - Carbonate in water, 98
 - Carbonation
 - levels in beer, 296
 - mechanical
 - in-line, 298
 - in-tank, 299
 - methods
 - bottle conditioning, 297
 - kraeusening, 297
 - mechanical, 298
 - secondary fermentation, 297
 - principles, 295
 - safety procedures, 301
 - Carlsberg flask, 78
 - Cartridge membrane filters, 286
 - advantages and disadvantages, 288
 - filtration mechanisms, 286
 - operation, 287
 - sterile filtration, 288
 - Cask-conditioned beers, 258
 - Centrifugation
 - clarification, 260
 - cold break separation, 227
 - hot break separation, 212
 - Cereal cooker, 171
 - Chelating agents, 125
 - Chillproofing agents, 264
 - bentonite, 266
 - hydrolysable tannins, 265
 - polyvinylpyrrolidone, 267
 - proteolytic enzymes, 264
 - silica gels, 265
 - tannic acid, 264
 - Chlorides in water, 98
 - Chlorine
 - acid-based sanitizers, 128
 - treatment of brewing water, 105
 - Chlorine dioxide
 - brewery sanitation, 129
 - water treatment, 105

- yeast washing, 84
 - Chocolate malt, 35
 - Clarification
 - centrifugation, 262
 - fining agents
 - isinglass, 260
 - Clean-in-place systems (CIP), 133
 - recovery-type, 137
 - single-use, 136
 - Cleaning detergents
 - acid-based, 123
 - nitric acid, 124
 - phosphoric acid, 124
 - additives, 125
 - chelating agents, 125
 - emulsifiers, 126
 - surfactants, 125
 - alkaline-based, 122
 - sodium hydroxide, 122
 - sodium hydroxide/hypochlorite solutions, 123
 - Closed-keg systems, 321
 - Coarse-grind extract, 27
 - COD, 346
 - COLAs Online System, 414
 - Cold break
 - formation of, 222
 - factors affecting quantity of, 223
 - removal of cold break, 225
 - centrifugation, 227
 - DE filtration, 226
 - flotation, 226
 - starter tank, 225
 - whirlpool, 227
 - Cold glue labeler, 316
 - Cold-water extract, 28
 - Colloidal hazes, 263
 - Colloidal stabilization
 - conditioning, 263
 - filtration, 282
 - Complex phosphates, 127
 - Conditioning, 255
 - clarification, 260
 - maturation, 255
 - stabilization, 263
 - tanks, 268
 - Conditioning tanks, 268
 - temperature control, 270
 - collants, 270
 - cooling jackets, 270
 - vessel size, 269
 - Container deposit laws, 418
 - Control states, 416
 - Coolship, 211
 - Copper
 - cleaning and sanitation, 139
 - Copper finings, 203
 - Copper in water, 99
 - Corn adjuncts, 113
 - Corrosion resistance, 137
 - Craft brewing
 - brewing equipment, 173
 - Crystal malts, 34
 - Cylindroconical fermenters, 244
 - coolants, 246
 - cooling jackets, 247
 - foam production, 246
 - temperature control, 246
 - yeast strains, 245
 - Czech Republic beer styles, 386
- ## D
- Darauflassen, 237
 - Dark lager (American), 363
 - Dechlorination in water treatment
 - carbon filtration, 103
 - heating the water, 103
 - potassium metabisulfite, 104
 - Decoction mashing, 164
 - single-step mash, 168
 - three-step mash, 165
 - two-step mash, 168
 - Degree of attenuation
 - lager yeast, 62
 - yeast strain selection, 72, 73
 - Deep-bed filtration, 289
 - Degeneration of yeast, 74
 - Demographics of U.S. beer market, 18
 - Depth filtration, 275
 - Detergents, 121
 - acid-based, 123
 - nitric, 124
 - phosphoric, 124
 - additives
 - chelating agents, 125

- emulsifiers, 126
 - surfactants, 125
- alkaline-based, 122
 - sodium hydroxide, 122
 - sodium hydroxide/hypochlorite solutions, 123
- Dextrin malt, 33
- Dextrose
 - bottle-conditioned beers, 259
 - sugars, 117
 - syrops, 116
- Diacetyl
 - fermentation, 240
 - yeast byproducts, 68
- Diacetyl rest, 240
- Diastatic power
 - base malts, 32
 - malt analysis, 28
 - mash tun adjuncts, 111
 - two-row barley, 22
- Diatomaceous earth
 - beer filtration, 280
 - safety and disposal, 280
 - solid waste, 348
- Diet/light (American), 364
- Dimethyl sulfide, 69
- Dissolved air flotation (DAF), 351
- Domestic specialties, 14
- Dopplebock (American), 390
- Dortmunder Export (German), 392
- Dosing, 236
- Double-mash infusion system, 168
- Double-pass filtration, 276
- Dry hopping, 57
- Dry milling, 144
- Dry-roasted malts, 35
- Dry stout (Irish), 402
- Dunkler bock (German), 390
- Dunkles Weizen (German), 398

E

- EDTA, 125
- Eisbock (German), 391
- Emulsifiers
 - complex phosphates, 127
 - orthophosphates, 126
- Enterobacteriaceae, 339

Enzymes

- activity during mashing
 - alpha-amylase, 155
 - beta-amylase, 155
 - beta-glucanases, 156
 - peptidase, 154
 - proteinase, 154
 - limit dextrinase, 155
- Esters, 67
- European Brewing Convention, 149
- Evaporation rate
 - kettle designs, 206
 - kettle times, 196
 - wort boiling 198
- Excise taxes, 413
- Extract yield, 191

F

- Faro, 372
- Fatty acids, 71
- Federal agencies
 - BATF, 411
 - OSHA, 137
 - TTB, 100, 411
- Federal Alcohol Administration (FAA)
Act, 2
- Fermentation
 - ale fermentations
 - modern, 240
 - starter tanks, 239
 - traditional, 239
 - diacetyl rest, 240
 - high-gravity fermentations, 242
 - lager fermentations, 236
 - modern, 238
 - starter tanks, 236
 - topping up, 237
 - traditional, 237
 - systems
 - ale dropping, 247
 - ale top skimming, 247
 - burton union, 249
 - cylindroconical, 244
 - dual purpose vessel, 249
 - open squares, 249
 - yorkshire squares, 248
 - yeast collection, 242

- fermentation systems, 242
 - storage, 243
 - Filter cake
 - mash filters, 189
 - types of powder filters, 277
 - Filtration
 - cartridge membrane filters, 286
 - advantages and disadvantages, 288
 - filtration mechanisms, 286
 - operation, 287
 - sterile filtration, 288
 - colloidal stabilization, 282
 - deep-bed filtration, 289
 - depth filtration, 275
 - powder filter aids, 280
 - filtration process, 281
 - safety and disposal, 280
 - types, 280
 - powder filters, 276
 - candle, 279
 - leaf, 278
 - plate and frame, 277
 - sheet pad filters, 284
 - advantages and disadvantages, 286
 - filtration mechanisms, 285
 - operation, 285
 - sterile filtration, 289
 - surface filtration, 275
 - Fine grind-coarse grind difference, 27
 - Fine-grind extract, 27
 - Fining agents, 260
 - Finish hopping, 202
 - Flanders brown ale (Belgium), 368
 - Flakes, 112
 - Flash pasteurization
 - bottling, 304
 - kegging, 324
 - Flocculation
 - yeast strain selection, 72
 - Flours, 111
 - Flow equalization, 350
 - Fluidized bed reactor, 357
 - Foam
 - fermentation, 246
 - reduced by
 - cold break, 224
 - degeneration of yeast, 74
 - fatty acids, 71
 - hop stems, 46
 - Food Chemicals Codex, 100
 - Free amino nitrogen (FAN)
 - malt analysis, 29
 - yeast nutritional requirements, 65
 - French beer styles, 387
 - Friability, 30
 - Fructose
 - rate of yeast attenuation, 73
 - yeast nutritional requirements, 64
 - Fruit lambics (Belgium), 374
 - Fusarium*, 22
 - Fusel alcohols, 70
- ## G
- Galena barley variety, 42
 - Gehaltemeter, 300
 - Gelatinization, 155
 - German beer styles, 388
 - Germination, 23
 - Geuze, 373
 - Gluconobacter* spp., 337
 - Glucose
 - bottle-conditioning, 297
 - malt constituents, 25
 - rate of attenuation, 73
 - yeast nutritional requirements, 64
 - Glycogen
 - yeast life cycle, 63
 - Glycol, 221, 247
 - Government regulations
 - federal regulations, 411
 - brewery application approval, 412
 - excise tax collection, 413
 - labeling and advertising approval, 413
 - homebrewing, 415
 - local regulations, 418
 - state regulations, 416
 - alcohol beverage control boards, 416
 - container deposit laws, 418
 - licenses, 417
 - taxation, 418
 - Grain silos, 143
 - Gram-negative bacteria, 335, 337
 - Gram-positive bacteria, 334, 335

Gravity sedimentation, 350
Green beer
 conditioning, 255
 diacetyl and 2,3-pentanedione, 68
Grist case, 148
Grist profile, 149
Grit removal, 350
Grits, 112
Gueuze (Belgium), 373
Gushing
 causes of,
 molds, 99
 nitrates, 342

H

Hammer mills, 147
Harrington barley variety, 22
Heating jackets, 206
Hefe weizen (German), 399
Heller bock (German), 391
Hemacytometer
 determining pitching rates, 235
 yeast viability, 85
High gravity fermentations, 242
Higher alcohols, 70
Holding hopper, 170
Homebrewing, 415
Homebrew bitterness units (HBUs), 54
Honey malt, 34
Hop additions, 201
Hop back, 210
Hop bitter substances, 41
Hop extracts, 49, 51
Hop plugs, 46
Hop separator (strainer), 210
Hop varieties, 423
Hopjack, 202
Hops
 bitterness levels
 controlling acid levels, 55
 HBUs, 54
 IBUs, 54
 constituents
 oils, 42
 resins, 41
 dry hopping, 57
 isomerization, 42

 products
 hop oils, 52
 isomerized, 50
 non-isomerized, 46
 stability, 53
 utilization, 55
 varieties
 aroma hops, 43
 bittering hops, 43
 cultivars, 44
 dual-purpose hops, 44
 growing regions, 44
 whole hops, 44
Horizontal leaf pressure filter, 278
Hot break, 199
 quality, 200
 quantity, 200
Hot trub separation, 211
 brew kettle/whirlpool, 215
 centrifuge, 212
 coolship, 211
 settling tanks, 212
 whirlpool, 213
Hot-water extract, 28
Hot wort separation
 whole hops, 210
 hop back, 210
 hop separator (Strainer), 210
 hot trub separation, 211
 brew kettle/whirlpool
 centrifuge, 212
 coolship, 211
 settling tanks, 212
 whirlpool, 213
Humulus lupulus, 43
Hydrochlorous acid, 129
Hydrogen peroxide, 131
Hydrogen sulfide
 lager yeast, 62
 Pectinatus spp., 338
 vitamin deficiency, 66
 yeast byproducts, 69
Hydrolysable tannins, 265

I

Imperial stout (British), 384
Imports, 7, 13

In-line carbonation, 298
 In-tank carbonation, 299
 India pale ale
 American, 362
 British, 379
 Infusion mashing, 160
 International Bitterness Units (IBUs),
 54
 Iodophores, 132
 Irish ale, 401
 Irish beer styles, 401
 Irish moss, 203
 Iron in water, 99
 Isinglass, 260
 iso-alpha acids, 42
 Isomerization, 42, 197
 Isomerized hop extracts, 51

K

Kegging
 keg racking machines, 322
 in-line, 323
 rotary, 324
 keg styles
 closed-keg systems, 321
 open-keg systems, 321
 sterilization of beer, 324
 kegging operations
 cold storage, 330
 external washing, 325
 inspection, 325
 internal cleaning, 326
 keg depalletizing, 325
 keg filling, 328
 volumetric/fill by weight, 330
 Kettle designs
 direct-fired, 206
 external heating jackets, 206
 external wort boilers, 207
 internal heating systems, 206
 Kilning, 24
 Keiseluhr, 280
 Kolbach index, 29
 Kölschbier (German), 388
 Krausening, 257
 Kriek, 377
 Kristall weizen (German), 399

L

Lactobacillus amylolyticus, 158
Lactobacillus delbrueckii, 158
Lactobacillus spp., 334
 Lagering, 256
 Lagoons, 355
 Lambic (Belgian), 372
 Laminar flow hood, 79
 Late kettle hopping,
 Lauter tun, 183
 Lautering
 collection of first wort, 187
 establishing grain filter bed, 186
 grains-out, 189
 mash rest and underletting, 186
 mash transfer, 184
 recirculation of wort, 186
 sparging and second wort collection,
 187
 Leaf filters, 278
 License states, 416
 Light beer, 13
 Light-colored malts, 33
 Limit dextrinase
 malt germination, 23
 starch degradation, 155
 Lipids
 malt constituents, 26
 sparging, 183
 Liquefaction, 156
 Lyophilization, 76

M

Magnesium in water, 97
 Magnesium sulfate in water treatment,
 102
 Maibock, 391
 Maillard reaction
 kilning, 24
 wort boiling, 196
 Malt conditioning, 148
 Malt extracts, 37
 Malt liquor
 beer segments, 12
 Malt milling
 dry milling, 145

- hammer mills, 147
- roller mills, 145
- sampling, 148
- handling and storage, 143
- malt conditioning, 147
- safety, 150
- sieve analysis, 149
 - mashing systems, 149
- wet milling, 148
- Malt storage, 143
- Malting, 22
- Malto-dextrin, 117
- Maltose
 - diastatic power, 28
 - malt constituents, 25
 - influence of mash thickness, 159
 - rate of attenuation, 73
 - starch degradation, 155
 - yeast nutritional requirements, 64
- Maltose/dextrin ratio, 156
- Maltotriose
 - malt constituents, 25
 - mashing temperature, 157
 - influence of mash thickness, 159
 - mutation of yeast, 73
 - rate of attenuation, 73
 - starch degradation, 155
 - yeast nutritional requirements, 64
- Manganese in water, 99
- Märzen (German), 393
- Mash filters, 189
- Mash kettle, 171
- Mash mixer, 171
- Mash tun
 - mashing, 171
 - wort separation, 181
- Mashing
 - acidification, 153
 - equipment
 - adjunct cooker, 171
 - craft brew systems, 173
 - holding hopper, 170
 - mash kettle, 171
 - mash mixer, 171
 - mash tun, 172
 - premasher, 170
 - underback, 173
 - factors affecting
 - malt modification, 158
 - mash thickness, 159
 - mash water, 159
 - pH, 158
 - temperature, 157
 - time, 157
 - protein degradation, 154
 - starch degradation, 154
 - alpha-amylase, 155
 - beta-amylase, 155
 - beta-glucans, 156
 - stages in starch breakdown, 155
 - systems, 159
 - decoction, 164
 - double-mash infusion, 168
 - infusion, 160
 - temperature-controlled, 163
- Mash-in, 161
- Material corrosion resistance
 - aluminum, 139
 - copper, 139
 - stainless steel
 - chemical agents, 138
 - passivation, 138
- Material safety data sheets, 137
- Maturation
 - cold storage, 259
 - secondary fermentation, 255
- Mealiness, 29
- Methylene blue staining, 85
- Meura 2001 mash filter, 190
- Microbiological testing, 342
- Microbreweries, 6
- Mild ale (British), 380
- Mild ale malt, 32
- Miller Brewing Co., 5
- Mineral salt adjustment of water, 102
- Minerals in water, 96
- Molds, 342
- Molson Coors Brewing Co., 6
- Monopoly states, 416
- Multi-roll mills, 145
- Munich dark (German), 393
- Munich helles (German), 394
- Munich malt, 33
- Mutation of yeast, 73
- Myrcene, 43

N

National brewers, 4
 National Pollution Discharge
 Elimination System, 348
 Nitrates in water, 99
 Nitric acid
 acid-based detergents, 124
 Nitrites in water, 99
 Nitrogen
 yeast byproducts, 71
 yeast nutritional requirements, 65
 Noble hops, 44

O

Oatmeal stout (British), 385
 Oats
 as in adjuncts, 116
Obesumbacterium proteus, 339
 Oktoberfestbier (German), 393
 Old ale (British), 380
 Open states, 416
 Open-keg systems, 321
 Optic barley variety,
 Organic acids, 71
 Orthophosphates, 126
 Oxygen requirements for yeast, 227
 Ozone treatment of water, 106

P

Pad filters, 284
 Pale ale
 American, 363
 Belgium, 368
 British, 381
 Pale ale malt, 32
 Palletizing, 318
 Papain, 264
 Passivation, 138
 Pasteurization
 flash, 304
 tunnel, 315
 Pasteurization unit, 304, 315
Pectinatus spp., 338
Pediococcus spp., 336
 Peptidase, 154

Peracetic acid, 131
 Per-capita beer consumption, 11
 Perlite, 280
 Permanent hardness, 96
 Peroxyacetic acid, 131
 pH
 beer quality, 258
 mash, 158
 water, 94
 pH reduction of water, 100
 Phosphate in water, 98
 Phosphoric acid
 as in acid-based detergents, 124
 Phytase
 malt constituents, 26
 mashing (acidification), 153
Pichia spp., 341
 Pilsner
 Czech Republic, 386
 German, 395
 Pilsner malt, 31
 Pitching yeast
 determination of, 235
 centrifugation, 235
 electron cell counting, 235
 hemacytometer, 235
 in-line biomass sensors, 236
 weight-based, 235
 dosing, 236
 microbiological contamination, 236
 rates, 23
 strain, 233
 viability, 234
 Plate and frame filter, 277
 Plate heat exchangers, 221
 Polycar AT, 283
 Polyphenols
 cold break, 222
 malt constituents, 26
 stabilization, 263
 wort boiling
 color development, 196
 oxidation, 197
 Polyvinylpyrrolidone (PVPP)
 conditioning, 267
 filtration, 283
 Porter (British), 382
 Potassium in water, 98

- Powder filters, 276
 candle, 279
 leaf, 278
 plate and frame, 277
- Powder filter aids
 diatomaceous earth, 280
 filtration process, 281
 perlite, 280
 safety and disposal, 280
- Premasher, 170
- Premium beer (American), 365
- Pressure-sensitive labeler, 316
- Prohibition, 2
- Propagation of yeast
 laboratory phase, 77
 plant phase, 78
- Propagation plants, 80
- Protein rest, 154
- Proteinase, 154
- Proteins
 cold break formation, 223
 hot break formation, 199
 malt constituents, 26
 malt modification, 24
 mashing – protein degradation, 154
 conditioning – stabilization, 263
 wort boiling – protein precipitation, 196
- Proteolytic enzymes, 264
- Pub breweries, 6
- Q**
- Quaternary ammonium, 130
- R**
- Rauchbier (German), 396
- Raw material requirements, 174
- Red ales
 Belgium, 369
 Irish, 401
- Regional breweries, 6
- Reinheitsgebot
 adjunct use, 110
 conditioning, 266
 mashing, 158
- Refined starches, 112
- Regional brewers, 6
- Residual alkalinity, 95
- Resins,
- Retailers, 17
- Rice, 114
 as in adjuncts, 114
- Roasted barley, 36
- Robust barley variety, 21
- Roller mills, 145
- Rotary labeler, 316
- Rotating biological contactor process, 355
- Rye malt, 37
- S**
- S/T ratio, 6
- S-methyl methionine
 malt germination, 24
 wort boiling, 198
- Saccharification, 156
- Saccharomyces cerevisiae*, 61
- Saccharomyces pastorianus*, 61
- Saccharomyces uvarum*, 61
- Saison (Belgium), 369
- Sanitizing agents
 acid-based, 131
 anionic acids, 131
 hydrogen peroxide, 131
 iodophores, 132
 peroxyacetic acid, 131
 alkaline-based, 128
 chlorine, 128
 quaternary ammonium, 130
- Sankey keg, 322
- Schwarzbier (German), 396
- Scottish ale, 402
- Scottish beer styles, 402
- Screen analysis, 149
- Screening, 350
- Secondary fermentation
 bottle-conditioned, 259
 cask-conditioned, 257
 kraeusening, 257
 lagering, 256
- Settling tanks, 212
- Sheet (pad) filters, 284

- advantages and disadvantages, 286
 - filtration mechanisms, 285
 - operation, 285
 - Sieving tests, 149
 - Silica gels
 - beer filtration, 283
 - conditioning, 265
 - Silos, 143
 - Single-pass filtration, 276
 - Single-step decoction system, 168
 - Six-roll mills, 145
 - Six-row barley, 21
 - Sludge treatment and removal, 356
 - Smoked beer, 396
 - Sodium hydroxide
 - as in alkaline-based detergents, 122
 - Sodium hypochlorite, 129
 - Sodium in water, 97
 - Solid waste disposal, 347
 - Solid wastes
 - diatomaceous earth slurry, 348
 - packaging materials, 348
 - spent grains, 347
 - spent yeast, 348
 - trub, 347
 - Sorghum, 111
 - South African Breweries (SAB-Miller), 5
 - Sparging, 182, 187
 - Specialty malts, 33
 - Specialty craft brewers, 6
 - Spent grains, 347
 - Spent yeast, 347
 - Spray balls
 - dynamic, 135
 - static, 135
 - Stabilization of green beer, 263
 - brewhouse procedures, 268
 - chillproofing agents, 263
 - Stabilized hop pellets, 49
 - Stainless steel
 - cleaning and sanitation, 137
 - Standard beer (American), 365
 - Stander barley variety, 21
 - Starch
 - action of alpha-amylase on, 155
 - action of beta-amylase on, 155
 - action of limit dextrinase on, 155
 - barley malt, 25
 - gelatinization, 155
 - Starch degradation, 154
 - Starter tanks, 225
 - Steam
 - malt conditioning, 147
 - sanitizing agents, 128
 - wort boiling
 - methods of heating, 209
 - systems, 206, 208
 - Steeping, 23
 - Sterile filtration
 - bottling, 303
 - filtration, 288, 289
 - kegging, 304
 - Strainmaster, 190
 - Strike temperature, 157, 162, 176
 - Strong golden ale (Belgium), 370
 - Stouts
 - American, 366
 - British, 384
 - Irish, 402
 - Subculturing of yeast, 75
 - Sucrose
 - cask-conditioned beers, 258
 - influence of mash thickness, 159
 - rate of attenuation, 73
 - sucrose-based sugars, 117
 - sucrose-based syrups, 116
 - yeast nutritional requirements, 54
 - Sugars
 - caramel, 117
 - dextrose, 117
 - invert, 117
 - malto-dextrin, 117
 - sucrose, 117
 - Sulfates in water, 98
 - Sulfur volatiles, 69
 - Surface filtration, 275
 - Surfactants, 125
 - SVK keg, 322
 - Sweet stout (British), 385
 - Syrups, 116
- T**
- Tannic acid
 - conditioning, 264

wort boiling, 205
Taxes
 federal, 413
 local, 418
 state, 418
 state excise tax rates, 431
Temperature-programmed mash, 163
Temporary hardness, 96
Three-step mash decoction, 165
Three-tier system, 15
Top-fermenting yeast
 ale yeast, 61
 traditional ale top-skimming systems,
 247
Torrified cereals, 112
Torulopsis spp., 341
Total dissolved solids (TDS), 346
Total protein, 29
Total soluble nitrogen, 29
Total suspended solids (TSS), 346
Trappist ales (Belgium), 370
Trickling filter process, 355
Trisodium phosphate (TSP), 126
Trub
 characteristics of brewery wastewater,
 347
 formation of cold break, 222
 formation of hot break, 199
 removal of cold break, 224
 removal of hot break, 211
TSP, 126
TSS (total suspended solids), 346
Tunnel pasteurization, 315
Two-roll mills, 145
Two-row barley, 22
Two-stage cooling, 221
Two-step mash decoction system, 167
Type 45 hop pellets, 48
Type 90 hop pellets, 48

U

Ultraviolet radiation treatment of water,
 104
Underback, 173
Underletting, 182, 186
United States beer styles, 362
Unmalted barley, 36, 115

Upflow anaerobic sludge blanket, 357
U.S. beer industry (see beer industry)

V

Venturi tube
 methods of oxygenation, 229
Vertical leaf pressure filter, 279
Vicinal diketones (VDKs)
 diacetyl rest, 240
 Lactobacillus spp., 335
 yeast byproducts, 68
 yeast lag phase, 63
Vienna beer (German), 397
Vienna malt, 32
Viscosity
 barley malts, 31
Vitamins
 yeast nutritional requirements, 66
Vorlauf, 186

W

Wastewater
 characteristics, 346
 quality, 346
 quantity, 346
Wastewater treatment, 348
 biological treatment, 352
 aerobic, 353
 anaerobic, 356
 chemical, 351
 flocculation, 352
 pH adjustment, 351
 physical, 349
 flow equalization, 350
 gravity sedimentation, 350
 grit removal, 350
 screening, 350

Water
 alkalinity, 95
 evaluation, 93
 hardness, 95
 permanent, 96
 temporary, 96
 minerals
 calcium, 96

- carbonate, 98
- chloride, 98
- copper, 99
- iron, 99
- magnesium, 97
- manganese, 99
- minor ions,
- nitrate, 99
- nitrite, 99
- phosphate, 98
- potassium, 98
- principal ions,
- sodium, 97
- sulfate, 98
- zinc, 99
- pH, 94
- residual alkalinity, 95
- treatment
 - dechlorination, 103
 - microbiological control, 104
 - mineral salt adjustment, 102
 - reduction in alkalinity, 100
 - removal of particulate matter, 100
- Water demand for brewing, 93
- Weizenbock (German), 400
- Wet milling, 148
- Wheat
 - as in adjuncts, 115
 - malt, 36
- Wheat beers
 - American, 367
 - Belgium, 375
 - German, 398
- Whirlpool
 - cold wort clarification, 227
 - hot wort clarification, 213
- White beer (Belgium), 375
- Wholesalers, 16
- Wild yeast, 340
 - Brettanomyces* spp., 341
 - Candida* spp., 341
 - Pichia* spp., 341
 - Saccharomyces* spp., 340
 - Torulopsis* spp., 340
- Wort aeration, 227
 - methods of oxygenation, 229
 - oxygen requirements, 228
 - point of injection, 228
- Wort assessment, 191
- Wort boiling
 - biochemical changes, 195
 - color development, 195
 - concentration of wort, 198
 - dissipation of volatiles, 198
 - enzyme inactivation, 195
 - isomerization, 197
 - protein precipitation, 195
 - reduction in wort pH, 199
 - sterilization, 195
 - formation of hot break, 199
 - quality, 200
 - quantity, 200
 - kettle additives
 - acids, 205
 - calcium chloride, 205
 - calcium sulfate, 205
 - copper finings, 203
 - flavorings, 206
 - hops, 201
 - syrops and sugars, 205
 - kettle designs
 - direct-fired, 206
 - external heating jackets, 206
 - external wort boilers, 207
 - internal heating systems, 206
 - methods of heating, 208
- Wort clarification (hot), 210
 - hot trub separation, 211
 - brew kettle/whirlpool, 215
 - centrifuge, 212
 - coolship, 211
 - settling tanks, 212
 - whirlpool, 213
 - whole hop separation, 209
 - hop back, 210
 - hop separator, 210
- Wort cooling
 - cooling systems, 221
 - formation of cold break, 222
 - microbiological stability, 223
- Wort fermentability, 250
- Wort lipids, 187
- Wort recovery, 215
- Wort separation equipment
 - lauter tun, 183
 - mash filter, 189

mash tun, 182
strainmaster, 190

Y

Yeast

ale, 61
attenuation rate, 73
byproducts
 acetaldehydes, 68
 diacetyl, 68
 dimethyl sulfide, 69
 esters, 67
 fatty acids, 71
 fusel alcohols, 70
 nitrogen compounds, 71
 organic acids, 71
 sulfur volatiles, 69
culture contamination, 81
culturing, 77
degeneration, 74
flocculation, 72
lager, 62
life cycle
 fermentation phase, 63
 growth phase, 63
 lag phase, 63
 sedimentation phase, 64
mutation, 73
nutritional requirements
 carbohydrates, 64
 minerals, 66
 nitrogen, 65
 vitamins, 66
pure culture maintenance
 desiccation, 76
 freezing in liquid nitrogen, 77
 lyophilization, 76
 sub-culturing, 75
propagation and scale-up
 laboratory phase, 77
 plant phase, 78
replacement, 86
storage, 86
strain selection, 71
viability
 fermentation tests, 85
 selective staining, 84

slide viability method, 85
standard-slide culture method, 85

washing

acid wash, 82
acid wash with ammonium
 persulfate, 83
chlorine dioxide, 84
distilled or sterile water wash, 82

Yeast collection, 242

fermentation systems, 242
 cylindroconical fermenters, 243
 traditional ale system, 242
 traditional lager system, 242
storage, 243

Yeast pitching

dosing, 236
methods for determining rates, 235
 centrifugation, 235
 electron cell counting, 235
 hemacytometer, 235
 in-line biomass sensors
 weight-based, 235
microbiological contamination, 236
pitching rates, 233
strain, 233
viability, 234

Z

Zahm meter, 300

Zinc

in water, 99
yeast nutritional requirements, 66

Zymomonas spp., 338